



## Specialty Cable Ties

### Releasable Cable Ties: Pawl Release

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)
N-6-40R	6"	5.51/140	1.3/33	0.14/3.6	40
N-8-50R	8"	7.87/200	1.97/50	0.19/4.8	50
N-11-50R	11"	11.81/300	3.39/86	0.19/4.8	50
N-14-50R	14"	14.57/870	4.02/102	0.19/4.8	50

### Releasable Cable Ties: Trigger Release

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)
NT-5-50R	5"	5.91/150	1.38/35	0.30/7.6	50
NT-8-50R	8"	7.87/200	1.97/50	0.30/7.6	50
NT-11-50R	11"	11.81/300	3.15/80	0.30/7.6	50
NT-14-50R	14"	14.57/370	4.02/102	0.30/7.6	50

### Mounted Head Cable Ties

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Screw Hole
N-4-18-MH	4"	4.33 / 110	.87 / 22	.10 / 2.5	18	No. 6
N-5-40-MH	5"	5.91 / 150	1.26 / 32	.14 / 3.6	40	No. 8
N-7-50-MH	7"	7.87 / 200	1.97 / 50	.19 / 4.8	50	No. 10
N-11-50-MH	11"	12.20 / 300	2.99 / 76	.19 / 4.8	50	No. 10
N-14-50-MH	14"	14.84 / 370	4.02 / 102	.19 / 4.8	50	No. 10
N-14-120-MH	14"	14.96 / 380	3.86 / 98	.30 / 7.6	120	1/4 inch

### Restricted Bundle/Tote-Box Cable Ties

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Colors Available
N-5-30TB	5"	5.60/142	.87 / 22	.13/3	30	0,9

### Identification Cable Ties (18 & 50 lb.)

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Colors Available	Mil Spec.	Write-On Area (in)
N-4-18ID	4"	3.94/100	.71/18	.10/2.5	18	0,9	MS3368-5*	1.0 x .31
N-7-50ID	7"	7.4/188	1.75/45	.185/4.7	50	0,9	MS3368-1**	0.44 x 0.87
N-8-18ID	8"	7.87/200	1.97/50	.10/2.5	18	0,9	MS3368-5*	1.0 x .31
N-14-50ID	14"	14.6/371	4.00/102	.185/4.7	50	0,9	MS3368-2*	0.44 x 2.00

\*In natural color only

\*\*In blue, fluorescent blue, green, orange and yellow colors only

### Flag Cable Ties

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Write-on Area (in.)
N-4-18FL	4"	4.39/112	.71/18	.10/2.5	18	.80L x .35W

### Multi-Head Marker Ties (50 lb.)

Nelco #	Nominal Length	Actual Length Inches/mm	Bundle Diameter	Width Inches/mm	Tensile Strength (Lbs)	Write-on Area (in.)
N-7-50ID2	7"	7.40/188	3/16-1-3/4	.185/4.70	50	.87L x 1.07W
N-7-50ID3	7"	7.40/188	3/16-1-3/4	.185/4.70	50	.87L x 1.79W

### Self-Lock Stainless Steel Cable Ties (150 lb.)

Type 304 & 316 Stainless Steel

Nelco #	Nominal Length	Actual Length Inches/mm	Width Inches/mm	Bundle Diameter	Tensile Strength (Lbs)
N-5-150-SS	5"	5.40/137.00	.187/4.760	1"	150
N-8-150-SS	8"	8.40/213.00	.187/4.760	2"	150
N-11-150-SS	11"	10.90/276.00	.187/4.760	2.7"	150
N-14-150-SS	14"	14.90/378.00	.187/4.760	4"	150
N-21-150-SS	21"	20.90/530.00	.187/4.760	6"	150
N-27-150-SS	27"	27.40/695.00	.187/4.760	8"	150
N-33-150-SS	33"	33.40/848.00	.187/4.760	10"	150
N-42-150-SS	42"	42.40/1076.00	.187/4.760	12"	150
N-47-150-SS	47"	47.40/1203.00	.187/4.760	14"	150

Note: Also available in higher tensile strengths and in epoxy-coated stainless steel. Subject to lead times.

### Hook & Loop Cable Ties

Nelco #	Length (in.)	Width (in.)	Head Width (in.)
NFT-75-5	5.00	0.500	0.750
NFT-75-6	6.00	0.500	0.750
NFT-75-8	8.00	0.380	0.750
NFT-75-12	12.00	0.500	0.750
NFT-75-18	18.00	0.500	0.750
NFT-1-8*	8.00	0.500	0.750
NFT-1-12*	12.00	0.500	0.750
NFT-50-10*	10.00	0.500	0.750



### Tefzel Cable Ties

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Colors Available
N-4-18-TZ	4"	3.94 / 100	.87 / 22	.09 / 2.4	18	AQUA BLUE
N-7-50-TZ	7"	7.4 / 188	1.81 / 46	.19 / 4.8	50	AQUA BLUE
N-8-40-TZ	8"	8.46 / 215	2.20 / 56	.14 / 3.6	40	AQUA BLUE
N-11-50-TZ	11"	11.81 / 300	2.99 / 76	.19 / 4.8	50	AQUA BLUE
N-11-120-TZ	11"	11.81 / 300	2.99 / 76	.30 / 7.6	120	AQUA BLUE
N-14-50-TZ	14"	14.57 / 370	4.02 / 102	.19 / 4.8	50	AQUA BLUE
N-14-120-TZ	14"	14.49 / 368	4.02 / 102	.30 / 7.6	120	AQUA BLUE

Tefzel® is a registered trademark of E. I. du Pont de Nemours and Company.



### Halar Cable Ties

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Colors Available
N-4-18-HAL	4"	3.94 / 100	.87 / 22	.09 / 2.4	18	MAROON
N-7-50-HAL	7"	7.4 / 188	1.88 / 48	.19 / 4.8	50	MAROON
N-11-50-HAL	11"	11.6 / 300	3.00 / 76	.19 / 4.8	50	MAROON

Halar® is a registered trademark of Solvay Solexis, Inc.



### Polypropylene Cable Ties

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Colors Available
N-4-11-PP	4"	3.94 / 100	.87 / 22	.09 / 2.4	11	LT GREEN, BLACK
N-5-18-PP	5"	5.51 / 140	1.3 / 33	.14 / 3.6	18	LT GREEN, BLACK
N-7-30-PP	7"	7.4 / 188	1.88 / 48	.19 / 4.8	30	LT GREEN, BLACK
N-8-50-PP	8"	7.87 / 200	2.09 / 53	.30 / 7.6	50	LT GREEN, BLACK
N-11-30-PP	11"	11.6 / 300	3.00 / 76	.19 / 4.8	30	LT GREEN, BLACK
N-11-50-PP	11"	11.81 / 300	2.99 / 76	.30 / 7.6	50	LT GREEN, BLACK
N-14-30-PP	14"	14.57 / 370	4.02 / 102	.19 / 4.8	30	LT GREEN, BLACK
N-14-50-PP	14"	14.49 / 368	4.02 / 102	.30 / 7.6	50	LT GREEN, BLACK



### Heat Stabilized Cable Ties

Nelco #	Nominal Length	Actual Length Inches/mm	Max. Bundle Diameter Inches/mm	Width Inches/mm	Tensile Strength (Lbs)	Colors Available
N-4-18 -HS	4"	4.1/104.7	.875/22.2	.095/2.413	18	Black
N-5-40-HS	5"	5.8/148.3	1.437/36.49	.140/3.556	40	Black
N-6-18-HS	6"	6.18/156.97	1.50/38.1	0.95/2.413	18	Black
N-7-50-HS	7"	7.5/192.0	1.875/47.62	.180/4.572	50	Black
N-8-40-HS	8"	8.8/225.4	2.375/60.32	.140/3.556	40	Black
N-8-120-HS	8"	8.7/220.9	2.06/52.32	.300/7.620	120	Black
N-11-50-HS	11"	11.2/285.7	3.062/77.77	.180/4.572	50	Black
N-14-50-HS	14"	14.25/361.9	4/101.6	.180/4.572	50	Black
N-14-120-HS	14"	15.0/383.3	4.06/103.12	.076/1.930	120	Black